



## SAFETY DATA SHEET Juice Swirl Remover

According to *Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice*, 2011

### SECTION 1: Identification: Product Identifier and Chemical Identity

#### **Product Identifier**

**Product name** Juice Swirl Remover  
**Product no.** JPBSR946, JPBSRD

#### **Relevant identified uses of the substance or mixture and uses advised against**

**Application** Car maintenance – detail  
**Uses advised against** For professional use only. This product is not recommended for any other industrial, professional or consumer use other than specified above.

#### **Details of the supplier of the Safety Data Sheet**

**Supplier** Sydney Automotive Paint and Equipment Pty Ltd  
Unit A3, 366 Edgar Street  
Condell Park  
NSW 2200  
Australia  
Tel: +61 2 9772 9000  
Email: [reception@sape.com.au](mailto:reception@sape.com.au)  
[www.juicepolishes.com.au](http://www.juicepolishes.com.au)  
[www.sape.com.au](http://www.sape.com.au)

**NZ Distributor** Resene Automotive & Light Industrial  
4 Te Apunga Place  
Sylvia Park  
Auckland  
NZ 1641  
Tel: +64 9 259 2738  
[www.resene.co.nz](http://www.resene.co.nz)

#### **Emergency Information**

**Emergency telephone** NZ Poison Information Centre 0800 764 766 or +64 3 479 7248  
**General medical information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)  
**Transport information** +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

## Juice Swirl Remover

### SECTION 2: Hazard(s) Identification

#### Classification of the substance or mixture

**Physical and health hazards** Classified as hazardous according to New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations, 2001

Classified as a dangerous good according to NZS 5433:2012, Transport of Dangerous Goods on Land, UN, IMDG and IATA.

<b>HSNO Classification</b>	Flammable liquid	Category 3.1C
	Germ cell mutagenicity	Category 6.6A
	Carcinogenicity	Category 6.7A

<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute	Category 9.1D
	Hazardous to the aquatic environment, long-term	Category 9.1C

#### Label elements

##### GHS hazard symbols



**GHS signal word** Danger

**Hazard statements**

H226	Flammable liquid and vapour.
H340	May cause genetic defects.
H350	May cause cancer.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

## Juice Swirl Remover

P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308+P313	If exposed or concerned: Get medical advice/attention.
P370+P378	In case of fire: Use appropriate media to extinguish.

### Hazards not otherwise classified

None known.

## SECTION 3: Composition and Information on Ingredients

The product is a mixture.

<b>Aluminium oxide</b> CAS number 1344-28-1	GHS Hazardous: N	10<20%
<b>Decamethylcyclopentasiloxane</b> CAS number 541-02-6	GHS Hazardous: N	5<10%
<b>Petroleum distillates, hydrotreated light</b> CAS number 64742-47-8	GHS Hazardous: Y	5<10%
<b>White mineral oil</b> CAS number 8042-47-5	GHS Hazardous: N	3-5%
<b>Alcohols, C8-22, ethoxylated</b> CAS number 69013-19-0	GHS Hazardous: Y	<1%
<b>Sodium hydroxide</b> CAS number 1310-73-2	GHS Hazardous: Y	<0.1%

## SECTION 4: First Aid Measures

### Description of first aid measures

<b>General information</b>	If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Remove any dentures. Get medical attention if symptoms occur.
<b>Skin Contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

## Juice Swirl Remover

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

### **Most important symptoms and effects, both acute and delayed**

**Skin contact** Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

**Eye contact** Direct contact with eyes may cause temporary irritation.

### **Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** Provide general supportive measures and treat symptomatically.

## **SECTION 5: Fire Fighting Measures**

### **Extinguishing media**

**Suitable extinguishing media** Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### **Special hazards arising from the substance or mixture**

**Specific hazards** Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back.

**Hazardous combustion products** During fire, gases hazardous to health may be formed.

### **Advice for firefighters**

**Protective actions** In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

**Special protective equipment** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

## **SECTION 6: Accidental Release Measures**

### **Precautions, protective equipment and emergency procedures**

**Personal precautions** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

## Juice Swirl Remover

### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### **Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

### **Reference to other sections**

#### **Reference to other sections**

For personal protection, see Section 8.

## **SECTION 7: Handling and Storage**

### **Precautions for safe handling**

#### **Usage precautions**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment.

#### **Occupation hygiene**

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

### **Conditions for safe storage, including any incompatibilities**

#### **Storage precautions**

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of SDS).

#### **Storage class**

Chemical storage.

## Juice Swirl Remover

### Specific end use(s)

#### Specific end use

The identified uses for this product are detailed in Section 1.

## SECTION 8: Exposure Controls and Personal Protection

### Occupational exposure limits

Aluminium oxide	1344-28-1	Long-term exposure limit (TWA): 10 mg/m <sup>3</sup>
Decamethylcyclopentasiloxane	541-02-6	Long-term exposure limit (TWA): 10 ppm
White mineral oil	8042-47-5	Long-term exposure limit (TWA): 5 mg/m <sup>3</sup> Short-term exposure limit (STEL): 10mg/m <sup>3</sup>

### Exposure controls

#### Engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. The following protection should be worn: Chemical respirator with organic vapor cartridge and full facepiece.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

#### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

#### Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

#### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate inhalation. Large spillages: if ventilation is inadequate, suitable respiratory protection must be worn.

#### Environmental exposure control

Keep container tightly sealed when not in use.

## Juice Swirl Remover

### SECTION 9: Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Not available.
<b>Odour</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point</b>	-38°C (estimated)
<b>Initial boiling point and range</b>	65°C (estimated)
<b>Flash point</b>	42°C (estimated)
<b>Flammability limit – lower (%)</b>	0.7% (estimated)
<b>Flammability limit – upper (%)</b>	5.4% (estimated)
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	14.17 hPa (estimated)
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.45 g/cm <sup>3</sup> (estimated)
<b>Solubility Value (g/100g H<sub>2</sub>O)</b>	Not available.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>% Volatile</b>	9.04% (estimated)
<b>Oxidising properties</b>	Not oxidising

### SECTION 10: Stability and Reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Materials to avoid</b>	Acids. Chlorine.
<b>Hazardous decomposition</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include harmful gases or vapours.

## Juice Swirl Remover

### SECTION 11: Toxicological Information

#### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

<b>Acute toxicity</b>	Not known.
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.
<b>Respiratory or skin sensitization</b>	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
<b>Germ cell mutagenicity</b>	May cause genetic defects.
<b>Carcinogenicity</b>	May cause cancer.
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful.

### SECTION 12: Ecological Information

<b>Ecotoxicity</b>	Harmful to aquatic life with long lasting effects.	
<b>Components</b>	Petroleum Distillates, Hydrotreated Light (CAS 64742-47-8)	
<b>Aquatic</b>	<b>Species</b>	<b>Test Results</b>
Crustacea EC50	Water flea ( <i>Daphnia pulex</i> )	2.7 - 5.1 mg/l, 48 hours
Fish LC50	Rainbow trout <i>Oncorhynchus mykiss</i> )	2.9 mg/l, 96 hours

**Persistence and degradability**

**Bioaccumulative potential**



## Juice Swirl Remover

<b>Partition coefficient n-octanol/water (log Kow)</b>	Decamethylcyclopentasiloxane 5.2
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### SECTION 13: Disposal Considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/ regional/ national/ international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residue/unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### SECTION 14: Transport Information

#### NZS5433

Proper shipping name:	Flammable Liquid, n.o.s.
UN number:	UN1993
Hazard Class:	3
Packing group:	III

#### IMDG (Sea transport)

Proper shipping name:	Flammable Liquid, n.o.s.
UN number:	UN1993
Hazard Class:	3
Subsidiary Hazard Class:	Not applicable
Environmental hazards:	No
Packing group:	III
Marine Pollutant:	No
EmS:	F-E, S-E

#### ICAO/IATA (Air transport)

Proper shipping name:	Flammable Liquid, n.o.s.
UN number:	UN1993
Hazard Class:	3
Subsidiary Hazard Class:	Not applicable
Environmental hazards:	No
Packing group:	III
ERG Code:	3L

## Juice Swirl Remover

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not established.

### SECTION 15: Regulatory Information

#### Inventories

**Australia – AICS**

All the ingredients are listed or exempt.

**NZIoC**

All the ingredients are listed or exempt.

**HSNO Approval Code**

HSR002669

**HSNO Classification**

Flammable liquid

Category 3.1C

Germ cell mutagenicity

Category 6.6A

Carcinogenicity

Category 6.7A

Hazardous to the aquatic environment, acute

Category 9.1D

Hazardous to the aquatic environment, long-term

Category 9.1C

### SECTION 16: Any Other Relevant Information

**General information**

This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.

**Training advice**

Read and follow manufacturer's recommendations. Only trained personnel should use this material.

**Revision comments**

NOTE: Lines within the margin indicate significant changes from the previous revision.

**Issued by**

Sydney Automotive Paints and Equipment

Unit A3, 366 Edgar Street, Condell Park

NSW, 2200, Australia

[www.sape.com.au](http://www.sape.com.au)

[reception@sape.com.au](mailto:reception@sape.com.au)

Tel +61 2 9772 9000

**Revision date**

26/10/2017

**Revision**

2

**Supersedes date**

18/07/2017

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.