



SAFETY DATA SHEET

Juice Speed Wax

According to *Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice*, 2011

SECTION 1: Identification: Product Identifier and Chemical Identity

Product Identifier

Product name Juice Speed Wax
Product no. JPSW1L, JPSW5L, JPSW500

Relevant identified uses of the substance or mixture and uses advised against

Application Car maintenance – detail
Uses advised against For professional use only. This product is not recommended for any other industrial, professional or consumer use other than specified above.

Details of the supplier of the Safety Data Sheet

Supplier Sydney Automotive Paint and Equipment Pty Ltd
Unit A3, 366 Edgar Street
Condell Park
NSW 2200
Australia
Tel: +61 2 9772 9000
Email: reception@sape.com.au
www.juicepolishes.com.au
www.sape.com.au

NZ Distributor Resene Automotive & Light Industrial
4 Te Apunga Place
Sylvia Park
Auckland
NZ 1641
Tel: +64 9 259 2738
www.resene.co.nz

Emergency Information

Emergency telephone NZ Poison Information Centre 0800 764 766 or +64 3 479 7248
General medical information +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)
Transport information +61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)

Juice Speed Wax

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture

Physical and health hazards	Not classified as hazardous according to New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations, 2001 Not classified as a dangerous good according to NZS 5433:2012, Transport of Dangerous Goods on Land, UN, IMDG and IATA.
Environmental hazards	Not classified

Label elements

GHS hazard symbols	Not classified
GHS signal word	Not classified
Hazard statements	Not classified
Precautionary statements	Not classified Given for information only: P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Other hazard information

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition and Information on Ingredients

The product is a mixture.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics. Benzene <0.1%. CAS number 64742-48-9	GHS Hazardous: Y	10<25%
--	------------------	--------

SECTION 4: First Aid Measures

Description of first aid measures

General information	Immediately remove any clothing soiled by the product.
Inhalation	Move affected person to fresh air. Consult a doctor in case of complaints.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Do not induce vomiting. Call for medical help immediately.
Skin Contact	Rinse immediately with plenty of water. Generally, the product does not irritate the skin.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. If symptoms persist, consult a doctor.

Juice Speed Wax

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information Gastric or intestinal disorders.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No further relevant information available. Treat symptomatically.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Advice for firefighters

Protective actions No special measures required. Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment Wear appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental Release Measures

Precautions, protective equipment and emergency procedures

Personal precautions No special measures required. Wash thoroughly after dealing with a spillage.

Environmental precautions Dilute with plenty of water. Do not allow to enter sewers, surface or ground water drains.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Juice Speed Wax

Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and Storage

Precautions for safe handling

Usage precautions

No special measures required. Read and follow manufacturer's recommendations. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.

Occupation hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities

Storage precautions

Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class

Unspecified storage.

Specific end use(s)

Specific end use

The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure Controls and Personal Protection

Occupational exposure limits

Ingredient comments

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics. Benzene <0.1% (64742-48-9)

DNEL Long term value: 300 mg/m³

Exposure controls

Engineering controls

Provide adequate ventilation.

Eye/face protection risk

Not required. Eyewear complying with an approved standard should be worn if a assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with

Juice Speed Wax

Australia/New Zealand Standard AS/NZS 2161. Frequent changes are recommended.

Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Not required.
Environmental exposure control	Not regarded as dangerous for the environment. Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Liquid.
Colour	White.
Odour	Characteristic.
Flash point	>65°C
Relative density	~ 0.98 @ (20°C)
pH	9
Melting point	Not available.
Initial boiling point and range	100°C
Explosive limit - lower (%)	0.9% vol
Explosive limit - upper (%)	8.0% vol
Vapor pressure	23 hPa
Vapour density	Not available.
Solubility in water	Partly miscible.
Partition coefficient	Not available.
Ignition temperature	>230°C
Self-igniting	Product is not self-igniting
% Volatile	90.58% (w/w)

SECTION 10: Stability and Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

Juice Speed Wax

Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition	No dangerous decomposition products known.

SECTION 11: Toxicological Information

Information on toxicological effects

Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.

Juice Speed Wax

Ingredient comments

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclic, <2% aromatics. Benzene <0.1% (64742-48-9)

Oral LD50 Rat >5000 mg/kg

Dermal LD50 Rat >3000 mg/kg

General information

No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

SECTION 12: Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Persistence and degradability

The degradability of the product is not known

Bioaccumulative potential

No data available on bioaccumulation.

Mobility in soil

The product is water soluble and may spread in water systems. The product is non-volatile.

PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

No further relevant information available.

SECTION 13: Disposal Considerations

Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

Disposal methods

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Do not allow product to reach groundwater or water course.

SECTION 14: Transport Information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

UN number

Not applicable.

Juice Speed Wax

UN proper shipping name	Not applicable.
Transport hazard class(es)	No transport warning sign required.
Packing group	Not applicable.
Environmentally hazardous substance/marine pollutant	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory Information

Inventories

Australia – AICS	All the ingredients are listed or exempt.
NZIoC	All the ingredients are listed or exempt.
HSNO Approval Code	Not assigned, non-hazardous

SECTION 16: Any Other Relevant Information

General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Issued by	Sydney Automotive Paints and Equipment Unit A3, 366 Edgar Street, Condell Park NSW, 2200, Australia www.sape.com.au reception@sape.com.au Tel +61 2 9772 9000
Revision date	27/10/2017
Revision	2
Supersedes date	21/11/2015

Juice Speed Wax

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.